

veterinary technology for life

Eickemeyer®

www.eickemeyer.com

Telephone +49 7461 96 580 0

Year End Offers 2023



Valid 01 / 10 / 2023 – 31 / 01 / 2024

LIFEVET PT PULSE OXIMETER WITH TEMPERATURE MEASUREMENT

The portable LifeVet PT can measure and display the functional oxygen saturation of arterial haemoglobin (S_pO_2), pulse rate and body temperature in real time in dogs, cats, and horses. All important parameter information can be easily read on the large LCD display.

- ▶ Small, handy and sturdy
- ▶ Immediately ready for use – no calibration necessary
- ▶ Display of oxygen saturation from 35 to 100 %
- ▶ Display of the pulse rate from 25 to 400 beats per minute (bpm)
- ▶ Display of body temperature from 18 to 45 °C
- ▶ Alarm limits (optical & acoustic) individually adjustable
- ▶ 2.8" TFT LCD colour display with battery level indicator
- ▶ Can be connected to a computer via USB
- ▶ Test results can be stored for up to 360 hours
- ▶ Dimensions (in cm): H 14.2 x W 7.8 x D 2.8
- ▶ Weight: 250 g (device only)
- ▶ Incl. S_pO_2 sensor with two sensor clips (large & small), temperature probe, universal charger, USB cable, Li-Ion battery, protective silicone case and holder for tabletop use

321860



LIFEVET CP CAPNOGRAPH AND PULSE OXIMETER

The LifeVet CP handheld Capnograph and Pulse Oximeter measures and displays the expiratory CO_2 concentration as well as the respiratory rate, pulse rate and oxygen saturation in dogs, cats and horses. This compact and portable device is very easy to use with its touchscreen display and intuitive interface.

- ▶ High resolution 4.3" touchscreen display
- ▶ Side-stream capnography
- ▶ Et CO_2 concentration: 0–150 mmHg
- ▶ Respiratory rate displayed in rpm
- ▶ S_pO_2 range: 1–100 %
- ▶ Pulse rate: 25–250 bpm
- ▶ Audible and visual alarms with adjustable volume
- ▶ Long-life lithium battery: up to 18 h operating time
- ▶ Dimensions (in cm): W 7.7 x H 14.1 x D 3.6
- ▶ Weight: 420 g
- ▶ Includes: CO_2 tube, CO_2 filter, net adapter, USB cable, clip sensor

321880



LIFEVET 10M MULTIPARAMETER MONITOR

**ORDER
ONLINE**

www.eickemeyer.com

The LifeVet 10M is a fast, accurate and comfortable patient monitor that is characterised by its high ease of use and reliable technology. Its innovative technology is the ideal basis for obtaining detailed data and enabling first-class visualisations. Thanks to the large display, the vital functions can also be easily read from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions. The low power consumption and powerful battery make this monitor an extremely efficient solution.

- ▶ Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG and temperature
- ▶ High-resolution 10.4" LED touchscreen with up to 7 curves
- ▶ Freely selectable alarm limits
- ▶ Mains and battery operation up to 4 hours
- ▶ Dimensions (in cm): W 32 x H 22 x D 16
- ▶ Weight: approx 3.5 kg
- ▶ Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips and temperature probe

321915



LIFEVET 10C MULTIPARAMETER MONITORS

The LifeVet 10C monitors are modern, powerful patient monitors that are characterised by their high level of user-friendliness, reliable technology and extensive data storage. Thanks to the large display, the vital functions can also be read easily from a distance. It is operated conveniently via touchscreen. Hot keys also provide quick access to the most important functions.

- ▶ Multi-parameter display of respiratory rate, pulse rate, oxygen saturation, blood pressure (NIBP), ECG, temperature and capnography (EtCO₂) in sidestream mode
- ▶ High-resolution 10" LED touchscreen with up to 8 curves
- ▶ Freely selectable alarm limits and 360° visible alarm display
- ▶ Mains and battery operation up to 4 hours
- ▶ Dimensions (in cm): W 27 x H 22 x D 17
- ▶ Weight: ≤ 4.0 kg
- ▶ Incl. Li-Ion battery, NIBP cable with cuff, ECG cable with clamps, SpO₂ sensor with clips, temperature probe, CO₂ adapter, CO₂ cable and water trap

LifeVet 10C
321920

LifeVet 10C+
321921



321921

EICKEMEYER® NARKOVET LIGHT ANAESTHETIC UNIT

The EICKEMEYER® NarkoVet LIGHT is a cost-effective mobile anaesthetic machine, using quality parts like the MSS Vaporiser. It includes breathing circuits and an anaesthetic gas filter.

- ▶ High accuracy Rotameter (0.1 – 5.0 l/min)
- ▶ EICKEMEYER® Isoflurane Vaporiser TEC 3
- ▶ Oxygen bypass (O₂ flush)
- ▶ Patient exit: Ø outside: 22 mm / Ø inside: 15 mm
- ▶ Ayre's T-Piece breathing circuit for patients under 7 kg
- ▶ Semi disposable Circle Circuit for patients over 7 kg including patient hose with Y-piece, 2.0 l rebreathing bag and APL pressure relief valve
- ▶ EickSorber anesthetic gas filter with holder and exhaust pipe
- ▶ Storage tray and hook for additional rebreathing bags
- ▶ Stable base with 5 castors (Ø 54 cm)
- ▶ Dimensions (in cm): H 142 x W 67 x D 54
- ▶ Weight: 14.5 kg

213071

OxyVet IV Oxygen Concentrator

- ▶ Saving costs and effort: No oxygen bottle required, lower power consumption
- ▶ Simple operation thanks to the clear arrangement of the setting functions and monitoring information
- ▶ High patient safety through visual and acoustic alarms
- ▶ Noise level: ≤ 55 dbA
- ▶ Flow rate continuously adjustable from 0.5 – 5 l/min
- ▶ Output of up to 93 % oxygen (± 3 %)
- ▶ Dimensions (in cm): L 34 x W 37 x H 67
- ▶ Weight: 15.3 kg
- ▶ Incl. Bubble humidifier and O₂ hose
- ▶ 1 year warranty

213180

Starter Kit for NarkoVet LIGHT

This set provides the necessary accessories to perform anaesthesia on dogs and cats.

Complete Set, consisting of:

- ▶ Isoflurane Safety Key Filler
- ▶ Soda Lime Anaesthesia, 5 l, with colour indicator
- ▶ 2 Rebreathing Bags (1 and 3 l)
- ▶ 6 Anaesthesia Masks (size 1 – 6)
- ▶ EickTube Tracheal Tube Set with 23 tubes (2.0 – 10.0 mm)
- ▶ Laryngoscope – Basic

213079



213180



213071

The EICKEMEYER® NarkoVet Anaesthetic Unit is now even more flexible: Can be set up as a desk, wall or stand model.

Table mounted Model

- ▶ High accuracy Rotameter (0.1 – 5.0 l/min)
- ▶ EICKEMEYER® Isoflurane Vaporiser TEC 3
- ▶ Oxygen bypass (O₂ flush)
- ▶ System pressure gauge
- ▶ Infinitely adjustable pressure relief valve
- ▶ Soda Lime canister and accessories
- ▶ Suitable for small animals up to 80 kg
- ▶ Dimensions (in cm): L 32 x W 25 x H 51

213062

OxyVet III Oxygen Concentrator (5 l)

An oxygen concentrator draws in room air, separates the oxygen from other gases in the environment and delivers the oxygen at high concentrations.

- ▶ Flowrate: 0.5 to 5 l/min
- ▶ Oxygen concentration: 93 % ± 3 %
- ▶ Sound level: 40 dbA (50 Hz)
- ▶ Electrical requirements: 230 V / 50 Hz
- ▶ Power consumption: approx 290 watt @ 2 l/min and approx. 312 watt at 5 l/min
- ▶ Dimensions (in cm): L 34 x W 30.4 x H 62
- ▶ Weight: 16.3 kg
- ▶ 3 Year Warranty

213175

Trolley

21309535

Oxygen Concentrator Shelf

213098

Wall Bracket

21309403

Anaesthetic Unit Top Shelf

- ▶ For monitoring devices

21309902

NarkoVet Anaesthetic Starter Kit

Complete Set, consisting of:

- ▶ Isoflurane Safety Key Filler
- ▶ EickSorber Anaesthetic Gas Absorber
- ▶ Scavenging System Hose, 2 m, transparent
- ▶ 3 Soda Lime Anaesthesia, 5 l, with colour indicator
- ▶ 2 Rebreathing Bags (1 and 3 l)
- ▶ 6 Anaesthesia Masks (size 1 – 6)
- ▶ EickTube Tracheal Tube Set with 23 tubes (2.0 – 10.0 mm)
- ▶ Laryngoscope – Basic

213061



INFUSOVET SP SYRINGE DRIVER / PUMP

The EICKEMEYER® InfusoVet SP is a highly accurate and reliable syringe pump. The clearly arranged, colour coded buttons make it particularly easy to use.

- ▶ 2.5" backlit LCD display
- ▶ Compatible with standard 5, 10, 20, 30, 50 and 60 ml syringes
- ▶ Safety when injecting: precise control of flow rate and injection volume
- ▶ High patient safety through acoustic alarms
- ▶ Quick start function
- ▶ With clamp for IV pole

Technical specifications

- ▶ Mains and battery operation, battery life up to 6 hours
- ▶ Splash proof (IP34)
- ▶ Dimensions (in cm): L 33 x D 12.6 x H 11
- ▶ Weight: approx 1.8 kg

402095



EICKEMEYER® I.V. FLUID WARMER

- ▶ For warming up all intravenously administered liquids
- ▶ LED display with temperature display
- ▶ Temperature control from 35 to 42 °C in 0.1 °C steps
- ▶ Warm-up time: less than 2 min
- ▶ Dimensions (in cm): L 18 x W 7 x D 3.5
- ▶ Weight: 200 g (without mounting clamp)

402092



I.V. GIVING SET

- ▶ Pressure / gravity infusion
- ▶ Individually packaged sterile sets
- ▶ DEHP & Latex free
- ▶ Compatible with infusion pump InfusoVet, InfusoVet Easy II, InfusoVet Connect and InfusoVet IP
- ▶ **Please note:** If you use a pump that is not from EICKEMEYER®, your pump for this infusion set must be calibrated accordingly.
- ▶ Pack of 100 pieces
- ▶ Extension 050166 is compatible with this giving set.

402071



INFUSOVET CONNECT INFUSION PUMP

ORDER
ONLINE

www.eickemeyer.com

- ▶ 4.3" color touchscreen for easy operation
- ▶ Adjustable audible and visual alarms
- ▶ Suitable for bloods
- ▶ Flow rate: 0.1 – 2,000 ml/h
- ▶ Bolus rate: 0.1 – 2,000 ml/h (automatic and manual)
- ▶ Occlusion level: 5 levels selectable (50 – 900 mmHg)
- ▶ Mains and battery powered (up to 10 h)
- ▶ With clamp for IV pole and cage holder
- ▶ For EICKEMEYER® infusion sets (item no. 402071)
- ▶ Dimensions (in cm): W 13.8 x H 13.2 x D 9
- ▶ Weight: 1.5 kg

402090



INFUSOVET IP INFUSION PUMP

The EICKEMEYER® InfusoVet IP is a programmable infusion pump that combines safety, performance and reliability. The pump is easy to use and the infusion sets are easy to insert.

- ▶ 2.5" backlit LCD display
- ▶ User-friendly through simple programming
- ▶ High level of patient safety thanks to acoustic and visual alarms (in the event of air bubbles, constipation, empty battery, end of infusion)
- ▶ Also suitable for blood transfusions
- ▶ With clamp for IV pole
- ▶ For EICKEMEYER® infusion lines (item no. 402071)

Technical specifications

- ▶ Flow rate: 0.1 – 1,500 ml/h
- ▶ Volume limit: 1 – 9,999 ml
- ▶ Bolus rate: 0.2 – 600 ml/h (manual)
- ▶ Occlusion level: 3 levels selectable (150 – 900 mmHg)
- ▶ Mains and battery operation, battery life up to 4 hours
- ▶ Splash water protection according to IP34
- ▶ Dimensions (in cm): W 15 x H 25 x D 9
- ▶ Weight: < 1.45 kg

402085



X-BASE OPERATING TABLE

The EICKEMEYER® X-Base Operating Table is our most popular surgery table. All components are of the highest quality, making this table a great investment in the future of your practice.

- ▶ X-Base with 4 individually adjustable feet
- ▶ Provides best possible legroom and stability
- ▶ Good working posture whether sitting or standing
- ▶ Slim lift column made of aluminium, pump hydraulic or mains operated
- ▶ Self-contained, maintenance-free lift column
- ▶ Height adjustable from 72 – 112 cm
- ▶ Unidirectional 90° tilt mechanism, one hand control
- ▶ Stainless steel top with rounded, anti-drip edges and drain hole
- ▶ Two tabletop widths: 50 cm and 60 cm
- ▶ Optional heated tabletop
- ▶ Various colour options available

Illustration	RAL No.	Colour	Electric		Hydraulic	
			50 x 130	60 x 130	50 x 130	60 x 130
		Stainless Steel	602012	602010	602022	602020
	3000	Flame Red	601500	601507	601470	601477
	6018	Lime Green	601501	601508	601471	601478
	5022	Night Blue	601502	601509	601472	601479
	2001	Red Orange	601503	601510	601473	601480
	6005	Moss Green	601504	601511	601474	601481
	4010	Pink	601505	601512	601475	601482

Table Tie Down Cleats

- ▶ Stainless steel construction
- ▶ Mounted under the table

602005

Standard Rail System

Enables quick, safe and variable fixing of the patients on the table.

Consisting of:

- ▶ 2x Standard Rails, side
- ▶ 2x Standard Rails, end
- ▶ 4x Tie Down Cleats, quick release
- ▶ 10x Tie Down Ropes, L 1 m

605050

Curved Dental Tray

- ▶ With removable tray with grid
- ▶ Tray size (in cm): W 50 x D 35

605102



OPERATING TABLE V-TOP

**ORDER
ONLINE**
www.eickemeyer.com

The EICKEMEYER® V-Top Table features two stainless steel table panels which can be positioned independently to create the angle that holds the animal just right for all kinds of procedures. It also features an easy to clean removable gutter with a drain.

Curved Dental Tray

- ▶ With removable tray with grid
- ▶ Tub size (in cm): W 50 x D 35

602065

Technical specifications

- ▶ Adjustable top panels: 0–90°
- ▶ Stainless steel construction
- ▶ Unidirectional 75° tilt mechanism
- ▶ Adjustable height: 72 to 112 cm
- ▶ 4 Individually adjustable feet
- ▶ 3 Year Warranty
- ▶ Tabletop dimensions (in cm): L 140 x W 50

Electric-lift Mechanism

602060

Hydraulic-lift Mechanism

602070



MOBILE OPERATING TABLE X-BASE

The best selling EICKEMEYER® X-base operating and treatment tables are now available in a mobile version. Equipped with either maintenance-free, smooth-running pump hydraulics or a quiet, battery-operated electric motor with manual transmission, the table sets new standards in mobility and stability.

- ▶ Slim, attractive hydraulic lifting column made of anodized aluminium
- ▶ Height adjustable from 72–112 cm allows comfortable treatment or surgery, sitting or standing
- ▶ X-shaped substructure made of high-quality stainless steel and four smooth-running, braked double castors
- ▶ Tabletop tiltable up to 90°, easily adjustable with one hand
- ▶ With rounded corners, anti-drip edges and a drain hole
- ▶ Easy to clean and disinfect
- ▶ With smooth foot pump

50 x 130 cm

601420

60 x 130 cm

601430











611420

LOW LIFT SCISSOR TABLE II

The EICKEMEYER® Low Lift Scissor Table II is perfect for lifting and transporting larger patients without unnecessary handling and movement. The basic stationary table is available in eight different colours and the additional options available make this table a real all-rounder for your practice.

- ▶ Ideal for examination, prep, dental treatment and procedures
- ▶ Minimum height of 28 cm allows large dogs to walk onto the table
- ▶ Maximum height of 105 cm allows you to examine smaller patients without having to hunch and lean forward
- ▶ All parts made from high quality German stainless steel
- ▶ Smooth, polished tabletop (60 x 130 cm) with rounded corners, anti-drip edges and a drain hole
- ▶ Silent electric operation via foot pedal
- ▶ Includes power supply and tie down cleats

Variations			
Illustration	RAL No.	Colour	Item No.
		Stainless Steel	604200
	3000	Flame Red	604201
	6018	Lime Green	604202
	5022	Night Blue	604203
	2001	Red Orange	604204
	6005	Moss Green	604205
	4010	Pink	604206
	9010	Pure White	604207

Additional Options

In addition to the stationary table, you can choose one or more of the following table options:

Battery Kit

- ▶ Includes Battery and Charger

604307

Mobile Kit

- ▶ Includes Wheels, Battery and Charger

604306

Integrated Scale Option

- ▶ Weighing range 0–120 kg

604305

Curved Dental Tray

- ▶ With removable tray with grid

- ▶ Tray size (in cm):

W 50 x D 35

604303


Electric Tilt Option

- ▶ For tabletops

604301



604301



604305

HYDRAULIC TABLE

ORDER
ONLINE

www.eickemeyer.com

The hydraulic mechanism helps protect your back. The heavy duty frame ensures stability throughout its range. All four castors can be locked simultaneously with the foot switch.

Technical specifications

- ▶ Minimum height: 49.5 cm
- ▶ Maximum height: 98 cm
- ▶ Maximum load: 100 kg
- ▶ Four lockable castors
- ▶ Tabletop dimensions (in cm): L 122 x W 60
- ▶ Includes: 6 tie-down cleats

600200



EICKEMEYER® STAINLESS STEEL TUB TABLE

This multifunctional tube table is made entirely of high-quality stainless steel and is characterised by its ergonomic design and generous storage space.

- ▶ Stylish washbasin with drawers and storage space
- ▶ Stainless steel tub with a pool depth of 15 cm
- ▶ Rounded corners for easy cleaning
- ▶ Removable, two-part grid
- ▶ Knee room for seated activities
- ▶ Faucet with extractable shower head to 70 cm
- ▶ Two water outlet options – shower and normal tap
- ▶ 3 drawers and a door
- ▶ Includes sink drainer
- ▶ Dimensions (in cm): L 140 x W 60 x H 88

639060



SCORE® AMAZONE / JUMPER STOOLS

The ever so popular SCORE® treatment stools now come in fresh colours – real eye-catchers for your practice!

- ▶ Comfortable, cushioned seat
- ▶ Easily washable synthetic leather
- ▶ Smooth running double castors
- ▶ Aluminium base diameter: 54 cm

SCORE® JUMPER / AMAZONE Balance Saddle Stools

The uniquely adjustable Balance mechanism from SCORE® ensures that the saddle moves subtly along with your movements. These 'micro' movements of your pelvis ensure that muscle groups and intervertebral discs are not constantly under severe static strain. This prevents pain, helps you maintain your working posture longer and exercises your core muscles. The degree of movement can be set by your own preference and adjusted by rotating the ring.



61011201



610117



	JUMPER	JUMPER Balance	AMAZONE	AMAZONE Balance
Colour	Item No.	Item No.	Item No.	Item No.
Black	61010001	610200	61011001	610210
Anthracite	610101	610201	610111	610211
Capri Blue	61010201	610202	61011201	610212
Forest Green	61010301	610203	61011301	610213
Burgundy	61010401	610204	61011401	610214
Orange	61010501	610205	61011501	610215
Pink	610106	610206	610116	610216
Ochre Yellow	610107	610207	610117	610217



610214

SCORE® MEDICAL TREATMENT AND OPERATING CHAIR

**ORDER
ONLINE**

www.eickemeyer.com

- ▶ Comfortable, padded seat with Ø 40 cm
- ▶ Easily washable synthetic leather cover
- ▶ Height adjustable by gas spring from approx. 55 – 74 cm
- ▶ Smooth PU double castors
- ▶ Optimal freedom of movement
- ▶ Aluminum base with Ø 54 cm

With lumbar support

- ▶ Compact, functional lumbar support
- ▶ Height and inclination easily adjustable
- ▶ Colour: black

610190

With lumbar support and foot operation

- ▶ Foot operation allows easy adjusting of seat height during operations (operator remains sterile)
- ▶ Colour: black

610195

MEDICAL		Item. No.
Colour		
Black		610120
Anthracite		610121
Capri Blue		61012201
Forest Green		61012301
Burgundy		61012401
Orange		61012501
Pink		610126
Ochre Yellow		610127



61012501



610195

ZWEEZI SADDLE STOOL

- ▶ Padded synthetic leather seat
- ▶ Adjustable height: 58 – 85 cm
- ▶ Seat width: 40 cm
- ▶ Gas lift mechanism
- ▶ Base diameter: 54 cm
- ▶ 5 star base with swivable castors
- ▶ Colour: evergreen

610176



ZWOOZI ROUND STOOL

- ▶ Padded synthetic leather seat
- ▶ Adjustable height: 64 – 85 cm
- ▶ Seat width: 35 cm
- ▶ Gas lift mechanism
- ▶ Base diameter: 54 cm
- ▶ 5 star base with swivel castors
- ▶ Colour: evergreen

610177



DR. MACH LED 120 / 120F EXAMINATION AND THEATRE LIGHTS

DR. MACH from Germany has been setting the standards in medical illumination technology for decades. The new generation of lights with LED technology continues this tradition and supports veterinary professionals with superior technology and design. The biggest advantages of LED technology is a guaranteed minimum life-span of 50,000 hours, its energy efficiency and almost non-existent heat production.

- ▶ Colour rendering index: $R_a \geq 95$
- ▶ Electric dimmer: 50–100 %
- ▶ Light head diameter: 29 cm
- ▶ Number of LEDs: 12
- ▶ Power consumption: 18 W

DR. MACH LED 120

- ▶ 35,000 lux at 1 m working distance
- ▶ Fixed light field: 17 cm at 1 m

DR. MACH LED 120 F

- ▶ 45,000 lux at 1 m working distance
- ▶ Focusable light field: 14–25 cm at 1 m



611260

DR. MACH LED 120	
Item No.	Model
611260	Stand Model
611261	Wall Model
611262	Ceiling Model*, up to 3 m

DR. MACH LED 130 F	
Item No.	Model
611263	Stand Model
611264	Wall Model
611265	Ceiling Model*, up to 3 m

* For ceiling lights, please order the ceiling ring (item no. 612730) separately.

DR. MACH LED 130 EXAMINATION AND THEATRE LIGHTS

The DR. MACH LED 130 has been our best selling LED light over the past years with hundreds of installations across the UK and Europe. Whether in prep, dental or in the operating theatre, the LED 130 supports veterinary professionals with superior technology, invariable reliability and great design.

- ▶ Colour rendering index: $R_a \geq 95$
- ▶ Electric dimmer: 50–100 %
- ▶ Colour temperature: 4,300 kelvin
- ▶ Light head diameter: 33 cm
- ▶ Number of LEDs: 19
- ▶ Power consumption: only 28 W
- ▶ Optional sterilisable Handle (611266)

DR. MACH LED 130 PLUS

- ▶ 100,000 lux at 1 m working distance
- ▶ Fixed light field: 12 cm at 1 m

DR. MACH LED 130 F

- ▶ 70,000 lux at 1 m working distance
- ▶ Focusable light field: 14–25 cm at 1 m

DR. MACH LED 130 PLUS	
Item No.	Model
611736	Stand Model, mobile
611737	Wall Model with 171 cm reach
611738	Ceiling Model*, up to 3 m

DR. MACH LED 130 F	
Item No.	Model
611733	Stand Model, mobile
611734	Wall Model with 171 cm reach
611735	Ceiling Model*, up to 3 m

* For ceiling lights, please order the ceiling ring (item no. 612730) separately.



611737

DR. MACH LED 150 THEATRE LIGHTS

**ORDER
ONLINE**
www.eickemeyer.com

Based on the continuing success of the LED 130, the LED 150 offers a larger light head diameter and more light intensity. The Sterilisable Handle can be removed for sterilisation and additional handles can be purchased separately.

- ▶ Colour rendering index: $R_a \geq 96$
- ▶ Electric dimmer: 50–100 %
- ▶ Light head diameter: 38 cm
- ▶ Number of LEDs: 26
- ▶ Power consumption: only 35 W

DR. MACH LED 150 (SWING)

- ▶ 110,000 lux at 1 m working distance
- ▶ Colour temperature: 4,000 kelvin
- ▶ Fixed light field: 19 cm at 1 m

DR. MACH LED 150 FP (SWING)

- ▶ 130,000 lux at 1 m working distance
- ▶ Colour temperature: 4,300 kelvin
- ▶ Focusable light field: 17–24 cm at 1 m



612942

DR. MACH LED 150	
Item No.	Model
612940	Stand Model, mobile
612941	Wall Model with 171 cm reach
612942	Ceiling Model*, for ceiling heights of 2.60–3 m

DR. MACH LED 150 FP	
Item No.	Model
612946	Stand Model, mobile
612947	Wall Model with 171 cm reach
612948	Ceiling Model*, for ceiling heights of 2.60–3 m

* For ceiling lights, please order the ceiling ring (item no. 612730) separately.

DR. MACH LED 300DF THEATRE LIGHTS

The latest addition to the range of the quality manufacturer DR. MACH impresses with the highest light intensity at an extremely attractive price. The light beams of the three LED clusters can be bundled using the sterilisable handle and, depending on the size of the wound area, also focused.

- ▶ 160,000 lux at 1 m working distance
- ▶ Focusable light field: 17–27 cm
- ▶ Colour rendering index: $R_a \geq 95$
- ▶ Height adjustment: 118 cm
- ▶ Working area: 70–140 cm
- ▶ Number of LEDs: 36
- ▶ Lifespan of the LEDs: 60,000 hours
- ▶ Electronic brightness control on the luminaire body
- ▶ Including power supply

Wall Model

- ▶ With a total reach of 175 cm

612924

Ceiling Model*

- ▶ For ceiling heights of 2.60–3 m

612925



612925

* For ceiling lights, please order the ceiling ring (item no. 612730) separately.

MAGIC 500 PLUS PORTABLE ULTRASOUND UNIT

The MAGIC 500 PLUS sets a new standard of mobility for pregnancy testing in the field. With only 1.1 kg and an integrated rechargeable battery, it ensures maximum comfort and user friendliness.

Features

- ▶ Long service life: due to the long battery life of the battery supplied, unforeseen extended scanning sessions are not a problem
- ▶ Efficient workflow: Performing measurements on stored images ensures an efficient examination process
- ▶ Via a WiFi connection images and videos can be transmitted wirelessly to external devices (PC, laptop, tablet, smartphone) as well as monitors
- ▶ Higher diagnostic reliability with Cine Memory (256 frames)
- ▶ Individually adjustable ultrasound image
- ▶ Protection by splash-proof venting and membrane keypad
- ▶ Mounting rings and straps for easy hanging around the neck

Areas Of application

- ▶ Pregnancy examinations in cattle and horses
- ▶ Adjustment aids for optimal work
- ▶ Standard measurements and vet pregnancy calculation
- ▶ Anti-reflective ultrasound image individually adjustable
- ▶ Measurements below 1 mm possible (fat layer thickness measurement)
- ▶ Back fat and loin thickness calculation

Technical specifications

- ▶ 15 cm LED Monitor
- ▶ Black-and-white system
- ▶ Images and video clips can be saved on the device
- ▶ Incl. a switchable, changeable transducer 6.5 MHz, linear rectal, frequency switching of: 4.5 / 5.5 / 6.5 / 7.5 MHz
- ▶ Incl. a glove for the left hand (right glove can be reordered)
- ▶ Incl. Carrying case
- ▶ Integrated battery with up to 5 hours runtime
- ▶ Dimensions (in cm): W 16 x H 16 x D 7
- ▶ Weight: 1.1 kg

303790



MAGIC 3000 PLUS PORTABLE ULTRASOUND UNIT

**ORDER
ONLINE**
www.eickemeyer.com

Unbeatable value for money!

The MAGIC 3000 PLUS impresses with many new functions and features. Advanced technologies including Power Doppler (PDI) help evaluate blood flow in different clinical conditions.

- ▶ High-resolution 12.1" LCD Screen, tiltable
- ▶ Cine mode with memory function (5 sec.)
- ▶ Various measurements including pregnancy calculation
- ▶ iStation™, iClear™, iZoom™, iBeam™ and iTouch™
- ▶ Second probe connection for quick probe swap
- ▶ Internal SSD storage and two USB ports
- ▶ Dimensions (in cm): W 29 x H 35 x D 17
- ▶ Lightweight: only 5.6 kg

304045



PROBES FOR MAGIC 3000 PLUS / 6000 PLUS

Micro-convex

- ▶ 5.0–8.5 MHz

303710

Linear T-shaped

- ▶ 5.0–10.0 MHz

303711

Linear Rectal

- ▶ 4.0–7.5 MHz

304021



303710



303711



304021

MAGIC 6000 PLUS PORTABLE ULTRASOUND UNIT

A new dimension in image quality

The MAGIC 6000 PLUS not only opens a new dimension of image quality in small animal abdominal sonography, the device can also be used in equine gynaecology and orthopaedics. With a powerful cine mode, you can always keep an overview even with restless patients under difficult conditions.

- ▶ High-resolution 15" display, tiltable
- ▶ Cine mode with memory function (5 sec.)
- ▶ PW and Power Doppler (PDI) with "Auto Trace"
- ▶ Optional Colour Doppler Upgrade (30374001)
- ▶ iStation™, iClear™, iZoom™, iBeam™, iTouch™ & iScape™
- ▶ Various application-specific measurements for abdomen and gynaecology including pregnancy calculation
- ▶ Second probe connection for quick probe swap
- ▶ Large internal SSD storage and two USB ports
- ▶ Dimensions (in cm): W 36 x H 36 x D 15
- ▶ Weight: 8.1 kg

303740



CT, MRI AND ULTRASOUND POSITIONER

- ▶ Facilitates positioning of patients to allow abdominal ultrasonography
- ▶ Perfect positioning helps keep the patient calm and comfortable
- ▶ Robust, easy to clean and disinfect

Size 1

- ▶ Suitable for cats/small dogs
- ▶ Dimensions (in cm):
W 25 x H 10 x L 80

303991

Size 3

- ▶ Suitable for large-sized dogs
- ▶ Dimensions (in cm):
W 50 x H 20 x L 130

303993

Size 2

- ▶ Suitable for medium-sized dogs
- ▶ Dimensions (in cm):
W 35 x H 14 x L 100

303992



303992

ULTRASOUND TABLE ATTACHMENT WITH CUTOUT

The redesigned EICKEMEYER® Ultrasound Table is the perfect solution for cardiac ultrasound examinations.


30397602

- ▶ Redesigned ergonomic cut out for cardiac ultrasound examinations
- ▶ 5 foldable feet for easy storage
- ▶ Ergonomically designed recess
- ▶ Provides ample elbow room for the examiner
- ▶ Compatible with Examination Tables (Width: 45 cm / Length: 100 cm)
- ▶ Dimensions (in cm): W 60 x H 19 x L 14

303976

Ultrasound Table Mat with Cutout

- ▶ For Ultrasound Table (item no. 303976)
- ▶ Velcro straps for a secure fit



EICKEMEYER® PAWSITIONER

**ORDER
ONLINE**

www.eickemeyer.com

The Pawsitioner is designed to secure patients for surgery and hands-free diagnostic imaging. It eliminates the need for tie-downs and makes it easy to clip and scrub patients in the prep room then transport them to surgery without having to re-position. The Pawsitioner is also ideal for hands-free radiographic positioning, including V-D, left or right lateral, V-D pelvis for OFA evaluation, rostral-caudal skull views and much more without re-positioning the patient for each radiograph. The cradle may also be used to hold patients for laparoscopy, CT, MRI, myelography and ultrasonography.

Complete Set

- ▶ Consisting of 5 sizes and wall mount for space-saving storage

605920



QR code for the application video of the Pawsitioner

ANIMAL STRETCHER TROLLEY

We get a lot of positive feedback regarding this Animal Stretcher Trolley. It will quickly become essential for transporting patients within your practice, and you will wonder how you ever managed without it.

This mobile trolley has four lockable castors so patients can be transported and secured easily.

- ▶ 4 lockable castors
- ▶ Aluminium frame with a washable nylon cover
- ▶ Maximum load capacity: 60 kg
- ▶ Dimensions (in cm): L 120 x W 52 x H 80

605998



HIRAY PLUS X-RAY MACHINE

One of the smallest and most powerful portable High Frequency X-Ray units in the world! The HiRay PLUS is a portable unit, which is suitable for outdoor use, as well as inside small animal practices. Special features include powerful high-frequency inverter, lightweight unit with small dimensions, and an integrated laser pointer for precise distance measuring.

Technical specifications

- ▶ High RF power: 40 to max. 100 kV / 30 mA, 2.0 kW
- ▶ kV setting: 40 to 100 kV (in 1 kV steps)
- ▶ 32 mAs settings, 0.3 to 20 mAs with illuminated LCD display
- ▶ Anatomical programming of 8 kV/mAs combinations
- ▶ Focus: 1.2 x 1.2 mm
- ▶ Collimator with bright halogen bulb and automatic timer
- ▶ Integrated laser beam for precise distance measurement
- ▶ 2-Speed manual exposure switch on 2.5 m curled cable
- ▶ Includes practical and sturdy aluminium case
- ▶ CE Certified & PTB approved and tested
- ▶ Dimensions (in cm): L 28 x W 16.3 x H 16
- ▶ Lightweight: 8.9 kg

701115



HIRAY 5 X-RAY MACHINE

The portable HiRay 5 combines ultimate power with extreme compactness. It produces a nominal output of 5 kW, while weighing only 14 kg! The greater mA range allows for shorter exposure times. This is ideal for imaging regions with rapid motion such as the small animal thorax.

Technical specifications

- ▶ High-voltage setting: 120 kV / 100 mAs (30 mA)
- ▶ High-current setting: 50 kV / 32 mAs (100 mA)
- ▶ kV setting: 40 to 120 kV (in 1 kV steps)
- ▶ 26 mAs settings, 0.3–100 mAs, with illuminated LCD display
- ▶ Generator: High frequency inverter, 5 kW nominal output
- ▶ X-Ray Tube Focal spot: 1.8 mm
- ▶ Collimator with bright halogen bulb and automatic timer
- ▶ Integrated laser beam for easy distance measurement
- ▶ 2-speed manual exposure switch on 2.5 m curled cable
- ▶ Dimensions (cm): L 35 x W 20.3 x H 16 cm
- ▶ Weight: 14 kg
- ▶ Foot switch optional

701105



TABLE STAND FOR MOBILE X-RAY DEVICES

- ▶ "Floating" tabletop considerably simplifies patient positioning (4-way tabletop with 60 cm longitudinal and 20 cm lateral displacement, mechanically braked, L 150 x W 72 x H 78 cm including 4 fixing clamps)
- ▶ Self-adjusting bucky tray, 45 x 45 cm
- ▶ Dimensions (in cm): W 95 x L 150 x H 200

701480



PROFIDENT PLUS DENTAL UNIT

**ORDER
ONLINE**
www.eickemeyer.com

The Profident PLUS is the result of many years of experience. It offers a wide range of applications for both, general practitioners and dental specialists. It is characterised by its modern design combined with high mobility. The stand is adjustable in height and all handpieces are arranged within easy reach of the operator. When a handpiece is removed from its holder, the Profident PLUS automatically supplies air and water to it.

Starter Kit

- Complete set, consisting of:
- ▶ 1x Bur Kit for Contra Angle
 - ▶ 1x Prophy Cups
 - ▶ 1x Polishing Paste
 - ▶ 1x Cleaning Brush

EXP174004

High Speed Turbine (300,000 rpm)

- ▶ Push button burr change for friction grip burs (FG)
- ▶ Variable burr water cooling facility
- ▶ With LED Illumination

Low Speed Air Motor (20,000 rpm) with Straight Handpiece

- ▶ For long straight shank burs (HP), diamond discs and prophy heads
- ▶ High torque, forward and reverse rotation
- ▶ Optional water cooling facility (item no. 174022)

Built-in Dental Scaler

- ▶ Handpiece with LED Illumination
- ▶ Includes 5 scaling tips

3 in 1 Syringe

- ▶ Precise finger tip control of water, mist or dry air
- ▶ Water connection to connect external dental scaler (e.g. item no. 176870)

Dental Unit Air Compressor

- ▶ Powerful (340 watt)
- ▶ Quiet, 40 dB (A) (as a fan)
- ▶ Low maintenance


Micro Oil Filter

- ▶ Reduces the oil content in the compressed air down to 0.01 %
- ▶ Helps extend the life of handpieces

174001



Scaler with LED lighting



Dental Handpiece
High Speed (FG)



174001

MOBILE DENTAL CART

Turns every table into a dental treatment table!

With the Mobile Dental Cart from EICKEMEYER®, every operating or treatment table becomes an ergonomic dental treatment table.

- ▶ For attachment to operating and treatment tables
- ▶ Ergonomic, curved dental tray with grate
- ▶ Easily removable tray for cleaning
- ▶ Made of stainless steel
- ▶ With 4 lockable smooth running castors
- ▶ Height adjustable from 75 – 100 cm
- ▶ Tray size (in cm): W 50 x D 35

605105



COCOON SPRAY DENTAL UNIT

Its compact and robust design makes this unit ideal for the majority of all routine veterinary dental procedures.

The dental scaler is a state-of-the-art Piezo system, it offers superb efficiency to remove even the most stubborn tartar with ease.

Water cooled drilling means you can run faster speeds without the risk of thermal tissue damage.

- ▶ Infinitely variable power control
- ▶ Self-regulated frequency: 27 to 32 kHz
- ▶ Driver type: piezoelectric
- ▶ Oscillation form: linear
- ▶ For straight and angled dental handpieces
- ▶ With water cooling
- ▶ High torque to ensure maximum precision
- ▶ Self-regulated speed up to 40,000 rpm
- ▶ Handpieces not included

176860

Low Speed Dental Handpiece – Contra angle (RA)

- ▶ With water cooling
- ▶ Compatible with Cocoon Dental Unit (176860)
- ▶ For polishing please order: Polishing Cups RA (176787)

174037



176860

EICKSONIC II DENTAL SCALER

- ▶ With illuminated LED handpiece (removable)
- ▶ High performance (28 kHz)
- ▶ With modern Piezo technologies
- ▶ Suction power control
- ▶ Water connection hose with connector for 3/8" water line
- ▶ Very easy to use
- ▶ Compact, durable design
- ▶ Best price-performance ratio
- ▶ Includes: 5 tips (2x flat/ wide; 2x flat/ pointed; 1x punctiform)

176865



EICKEMEYER® DENTAL POLISHER / DRILL UNIT II

**ORDER
ONLINE**

www.eickemeyer.com

- ▶ Compact dental micro motor for straight and angled dental handpieces
- ▶ Powerful and durable, quiet operation
- ▶ Infinitely variable speed up to 35,000 rpm
- ▶ Forward and reverse movement
- ▶ Choice of hand or foot switch control
- ▶ Handpieces not included

174028



DENTAL STARTER KIT FOR SMALL ANIMALS

The most important equipment for Dental Unit Polisher / Drill Unit II (174028) and Dental Unit EickSonic Plus LED (176880) together in one set.

Complete set, consisting of:

- ▶ Low Speed Dental Handpiece – Contra Angle (RA) (174026)
- ▶ Low Speed Dental Handpiece – Straight (HP) (174027)
- ▶ Dental Burr Set (RA) (174105)
- ▶ Disposable polishing heads (HP) (174066)
- ▶ EICKEMEYER® Prophy Paste (176782)
- ▶ Dental Handpiece Lubricant Oil (174010)
- ▶ Dental Handpiece Air Motor / Turbine Adapter (17401150)
- ▶ Dental Handpiece Low Speed E-Type Adapter (17401155)

174002



174026



174027



174066



17401150



17401155



174105



175782



174010

DENTANOMIC DENTAL INSTRUMENTS

Easier, safer & faster dental surgery

DENTANOMIC instruments are premium surgical tools with superb tempered and hardened modular blades making dental extraction in dogs and cats easier, safer and faster.

- ▶ Blades are made from top quality, hardened stainless steel and cut much better than conventional instruments
- ▶ Unique modular design allows easy blade replacement when blades are blunt or damaged
- ▶ Ergonomic handle design promotes safe palm grip, only minimal finger force is required to stabilise the cutting edge
- ▶ Standard handles are perfectly balanced and sized for surgeons with hands up to 7.5 glove size

DENTANOMIC Dental Instruments	
Item no.	Description
175000	Ergonomic Handle, blue
175001	Ergonomic Handle, green
175002	Ergonomic Handle, pink
175008	Ergonomic Handle, orange
175009	Ergonomic Handle, purple
175005	Ergonomic Handle, blue, longer shaft
175006	Ergonomic Handle, green, longer shaft
175007	Ergonomic Handle, pink, longer shaft
175003	Ergonomic Handle, orange, longer shaft
175004	Ergonomic Handle, purple, longer shaft
175100	Elevator Tip, 2 mm
175101	Elevator Tip, 3 mm
175102	Elevator Tip, 4 mm
175103	Elevator Tip, 5 mm
175104	Luxation Tip, 1.5 mm
175105	Luxation Tip, 2 mm
175106	Luxation Tip, 3 mm
175107	Luxation Tip, 4 mm
175108	Luxation Tip, 5 mm
175200	Storage and Sterilisation Rack for 9 blades
175202	Sterilisation Container for 5 handles
175201	Honing Pack, extra-fine



DENTANOMIC Set – Bronze

Complete Set, consisting of 2 handles (purple and gold) + elevator blade set (all sizes) + luxator blade set (all sizes) + sterilisation and storage rack

Up to glove size 7.5

From glove size 8.0

175050

175051

DENTANOMIC Set – Silver

Complete Set, consisting of 3 handles (green, blue and pink) + elevator blade set (all sizes) + luxator blade set (all sizes) + sterilisation and storage rack + honing set

Up to glove size 7.5

From glove size 8.0

175060

175061

DENTANOMIC Set – Gold

Complete Set, consisting of 5 handles (purple, gold, green, blue and pink) + elevator blade set (all sizes) + luxator blade set (all sizes) + sterilisation and storage rack + honing set + sterilisation container

Up to glove size 7.5

From glove size 8.0

175070

175071



175070

WARMING SYSTEM FOR SMALL ANIMALS

In clinical situations, animals cannot do without the supply and regulation of external heat. Since the animal's natural thermoregulation is switched off by the anaesthesia, its core body temperature must be maintained in the normothermic range. This warming system quietly delivers forced air through a low-pressure blanket that is specifically designed to evenly deliver diffused warm air over the surface of the patient, helping to prevent the onset of hypothermia.

- ▶ Safe and effective management of patient body temperature
- ▶ Optimal performance through uniform heat distribution
- ▶ Extremely powerful and quiet
- ▶ Only 30 seconds to warm up
- ▶ Temperature set points: 32 °C, 38 °C, 43 °C or ambient air
- ▶ Multiple alarm options for patient safety
- ▶ Pole clamp for secure fixation
- ▶ Compact dimensions (in cm): L 16 x W 35 x H 40
- ▶ Includes: 10 disposable warming mats

648090



REUSABLE WARMING MATS

These reusable Warming Mats are placed under the patient and – thanks to their unique 3D textile structure – ensure optimal heat supply. The mats fit the body's contour perfectly, making temperature control possible in any position and without interruption at the contact points.

- ▶ Warm air is distributed evenly under the patient
- ▶ Pressure relieving positioning
- ▶ Free operating field
- ▶ Reusable and washable at 60 °C
- ▶ Compatible with most air warming devices
- ▶ Made in Germany

Small, 50 x 60 cm

648110

Large, 115 x 60 cm

648120




648110

MOECK heating blanket for large heating mat incl. connecting hose

- ▶ Especially suitable for dental interventions
- ▶ In combination with the large heating mat, ensures optimal convective heat supply from above and below
- ▶ Variable round neck suitable for different head and body sizes

648130



648110

NEW

EICKLOXX MICRO OSTEOSYNTHESIS SYSTEM

**ORDER
ONLINE**

www.eickemeyer.com

The EickLoxx Micro osteosynthesis system was specially developed for the treatment of fractures in very small dogs and cats.

The angle-stable screws have a diameter of 1.2 mm. In addition, various 1.0 mm thick plates are available in different configurations.

This opens up the following indication areas, especially for dogs and cats weighing less than 3 kg as well as puppies: radius/ulna fractures, metatarsal fractures, jaw, pelvic and scapula fractures, in addition to arthrodesis and much more.

The EickLoxx Micro osteosynthesis system joins the existing EickLoxx osteosynthesis system for dogs and cats and supplements this in the increasingly important lowest weight category.

Complete set, consisting of:

- ▶ EickLoxx Micro Tray
- ▶ Drill Guide Funnel System 1.2
- ▶ Plate Screw Holding Forceps
- ▶ Twist Drill with AO Quick Coupling (Ø 1.0 mm)
- ▶ Screwdriver Blade (Torx 6)
- ▶ Screwdriver Handle
- ▶ Depth Gauge
- ▶ EickLoxx Micro Bone Plate, 7 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, 8 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, 20 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, L-plate, 9 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, T-plate, 10 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, Y-plate, 12 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, Y-plate, 13 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, 4x2 hole, System 1.0
- ▶ EickLoxx Micro Bone Plate, 2x2x2 hole, System 1.0
- ▶ 35 Titanium Locking Screws Ø 1.2 mm, magenta (from 4 – 10 mm)

197400

NEW



EICKLOXX SMALL OSTEOSYNTHESIS SYSTEM

The EickLoxx Small is a polyaxial locking kit for dogs and cats up to 15 kg.

The system distinguishes itself through the polyaxial placement of the custom-fit screws and combines the advantages of a locking plate system with polyaxial screw placement in $\pm 15^\circ$ longitudinal and transverse pivoting.

Compared to conventional osteosynthesis systems, the use of locking systems (internal fixation) such as the EickLoxx Small facilitates faster healing of fractures and improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.



The biologically advantageous titanium plates are available in three sizes and can be cut to the desired length and bent in three planes. Specially designed tools are included to perform this. Titanium also reduces artefacts in post-operative imaging.

EickLoxx Small is a modular system. All implants and instruments are made in Germany using only the highest quality materials.

Complete set, consisting of:

- ▶ EickLoxx Small Instrument Tray
- ▶ EickLoxx Small Implant Tray
- ▶ EickLoxx Small Screw Rack
- ▶ TAURUS Plates and Wire Cutting Pliers
- ▶ Plate Bending Pliers with Rollers
- ▶ EickLoxx Bending Levers (Pair)
- ▶ 3 Twist Drills with AO Quick Coupling (Ø 1.4 mm, Ø 1.8 mm & Ø 2.0 mm)
- ▶ 2 Screwdriver Blades (Torx 6 and 10)
- ▶ 2 Drill Guide Funnel Systems (1.7/2.3 and 2.7/3.5)
- ▶ Plate Screw Holding Forceps
- ▶ Silicone Screwdriver Handle
- ▶ 4 Plate Positioning Pins
- ▶ Depth Gauge
- ▶ EickLoxx Small Bone Plate, 46 hole, System 1.7/2.3, Dimensions (in mm): L 230 x W 5.0 x H 2.0
- ▶ EickLoxx Small Bone Plate, 41 hole, System 1.7/2.3, Dimensions (in mm): L 225 x W 6.5 x H 2.4
- ▶ EickLoxx Small Bone Plate, 28 hole, System 2.7, Dimensions (in mm): L 224 x W 8.0 x H 2.7
- ▶ 28 Titanium Locking Screws Ø 1.7, silver (from 8 – 20 mm)
- ▶ 28 Titanium Locking Screws Ø 2.3, gold (from 8 – 20 mm)
- ▶ 44 Titanium Locking Screws Ø 2.7, light blue (from 10 – 30 mm)
- ▶ Container, dimensions (in mm): L 312 x W 183 x H 122

185500



EICKLOXX LARGE OSTEOSYNTHESIS SYSTEM

ORDER
ONLINE

www.eickemeyer.com

The universal polyaxial osteosynthesis system for small animals

The newly developed EickLoxx Large is a polyaxial locking system for dogs with a weight of approx. 15 to 45 kg.




Just like the EickLoxx Small, the system is characterised by a polyaxial placement of the precisely shaped screws and therefore combines the advantages of locking systems and the possibility of placing screws at an angle of up to $\pm 15^\circ$. Like the EickLoxx Small, the EickLoxx Large offers the advantage of rapid fracture healing with improved implant strength. It is for this reason that the removal of plates and screws is rarely indicated.

The biologically advantageous titanium S-shaped plates are available in eight different sizes. Thanks to special tools, the plates can be bent on all three planes. The long 12- and 14-hole plates as well as the long 34 to 40 mm screws ($\varnothing 2.7 / 3.5 / 4.0$) are not included in the basic set and can be added if required. Both plates can be integrated into the implant tray. There is space in the implant tray for the long plates and capacity for the module for the long screws in the instrument tray.

Complete set, consisting of:

- ▶ EickLoxx Large Instrument Tray
- ▶ EickLoxx Large Implant Tray
- ▶ EickLoxx Large Screw Rack
- ▶ 2 EickLoxx Large bone plate modules
- ▶ EickLoxx Bending Levers (Pair)
- ▶ 3 Twist Drills with AO Quick Coupling ($\varnothing 2.0$ mm, $\varnothing 2.5$ mm and $\varnothing 2.9$ mm)
- ▶ Screwdriver Blade (Torx 10)
- ▶ Drill Guide Funnel System 2.7/3.5/4.0
- ▶ Plate Screw Holding Forceps
- ▶ Silicone Screwdriver Handle
- ▶ 4 Plates Positioning Pins
- ▶ Depth Gauge
- ▶ 6 EickLoxx Large Bone Plates, 4.0 mm, gold (6–10 holes)
- ▶ 6 EickLoxx Large Bone Plates, 4.5 mm, light blue (6–10 holes)
- ▶ 36 Titanium Locking Screws, $\varnothing 2.7$ mm, light blue (from 10–32 mm)
- ▶ 36 Titanium Locking Screws, $\varnothing 3.5$ mm, magenta (from 10–32 mm)
- ▶ 36 Titanium Locking Screws $\varnothing 4.0$ mm, blue (from 10–32 mm)
- ▶ Container, dimensions (in mm):
L 312 x W 183 x H 122

187730



ZLIG – NEW TECHNIQUE FOR CRUCIATE LIGAMENT REPLACEMENT (CRCL)

Zlig – the history

The tear of the anterior cruciate ligament is still one of the most common orthopaedic diseases in dogs. The path of the many surgical methods developed for this vary from intracapsular and extracapsular techniques to modern corrective osteotomies that alter the geometry of the affected knee joint. With the development of new materials in medical technology, it is now possible to replace the cranial cruciate ligament in an anatomically correct manner, instead of changing the forces acting on the joint. After a long period of preparatory work by the French Dr. Jacques-Phillipe Laboureau, a suitable synthetic ligament is now available for the intra-articular cruciate ligament replacement in small animals. Together with the instrumentation developed by EICKEMEYER®, this new technique for cruciate ligament replacement can now be performed.

Zlig – the implant

The Zlig consists of ultra-high-molecular polyethylene with the special feature that the woven structure of the implant is interrupted intra-articularly by “free fibres”. Free parallel fibres reduce fatigue and also encourage the ingrowth of fibroblasts and collagen. Each implant is delivered in a sterile packed sleeve, making it easier to handle the implant before it is inserted into the joint. A selection of sizes with different resistances and fibre lengths are available to fit different patient sizes.

Zlig – the technology

In this technique, an artificial ligament is used as a total replacement for the anterior cruciate ligament using tunnel-tunnel-technique. The ligament is fixed in the tibia and Os femoris using specially developed cannulated interference screws in drill channels. The screws are guided parallel to the ligament using a guiding wire to avoid deviations. The technology does not cause irreversible damage and the results are reproducible thanks to a quick learning curve. Another great advantage of the technique is the fact that patients can put weight on the hind leg immediately after the operation without any risks.

16 Fibres / 10 mm

- ▶ 5–8 kg
- ▶ 2,000 N

191501

24 Fibres / 15 mm

- ▶ 8–12 kg
- ▶ 3,000 N

191502

32 Fibres / 17 mm

- ▶ 12–25 kg
- ▶ 4,000 N

191503

48 Fibres / 19 mm

- ▶ 25–45 kg
- ▶ 6,000 N

191504

48 Fibres / 22 mm


- ▶ 25–45 kg
- ▶ 6,000 N

191505

48 Fibres / 25 mm

- ▶ 25–45 kg
- ▶ 6,000 N

191506



QR code for the application video of the Zlig



191506

Zlig – the instrumentation

A small and inexpensive set of instruments is required to perform this new and innovative cruciate ligament surgery method. The threads of the specially developed titanium interference screws are round so they do not cause any damage to the fibres of the Zlig.

Zlig Instrument and Screw Set

Complete set, consisting of:

- ▶ Zlig Instrument Tray with screw module for interference screws
- ▶ 5 Twist Drills, cannulated, with round shank (Ø 2.5/3.0/3.6/4.2 & 5.0 mm)
- ▶ 1 Twist Drill, not cannulated, with round shank (Ø 4.0 mm)
- ▶ Hexagon KIRSCHNER Wire
- ▶ Attachment for hexagon KIRSCHNER Wire, HEX 2.5, AO coupling
- ▶ Screwdriver Handle made of silicone, HEX 2.9, AO coupling
- ▶ 2 Screwdriver Blades, cannulated (HEX 2.0 & 2.5)
- ▶ 4 KIRSCHNER Wires, trocar/trocar (Ø 1.0 & 1.8 mm)
- ▶ 4 KIRSCHNER Wires, blunt/blunt (Ø 1.0 & 1.8 mm)
- ▶ 2 Tubes for wire loops, cannulated (Ø 2.5 & 3.5 mm)
- ▶ 2 Wire Loops
- ▶ 4 Titanium Interference Screws, cannulated, Ø 3.0, blue (8 mm)
- ▶ 12 Titanium Interference Screws, cannulated, Ø 3.5, light blue (8, 10, 13 mm)
- ▶ 12 Titanium Interference Screws, cannulated, Ø 4.0, magenta (8, 10, 13 mm)
- ▶ 16 Titanium Interference Screws, cannulated, Ø 4.5, gold (10, 15, 20, 25 mm)
- ▶ 8 Titanium Interference Screws, cannulated, Ø 5.0, green (15, 20 mm)
- ▶ 8 Titanium Interference Screws, cannulated, Ø 6.0, silver (10, 20 mm)

191508



ORTHOVET PRO BATTERY POWERED DRILL SYSTEM

The ideal tool for small animal osteosynthesis

The OrthoVet PRO is a modular, battery driven drill system designed for small animal osteosynthesis. The modular system consists of a handpiece and four attachments, which can be changed intraoperatively in just a few seconds with a keyless quick coupling.

The handpiece, the quick release AO Chuck and the Jacobs Chuck are cannulated. Thus, cannulated screws or drills can also be tracked over long guide wires in stages, without the guide wire having to be shortened. The oscillating saw has a fivefold adjustable, variable fixation of the saw blade and allows the surgeon an optimised view of the surgical field. The AO quick coupling completes the system and makes the OrthoVet PRO a real all-rounder.

The handpiece and attachments can be sterilised / autoclaved. The Li-Ion Battery is not autoclavable and is inserted into the handpiece by means of special holder. Continuous operation is possible in clockwise and counterclockwise motion, as well as in oscillation with the saw attachment.

- ▶ 4 attachments: Jacobs Drill Chuck, Quick Release AO Chuck, Quick Release Chuck for KIRSCHNER wires, Oscillating Saw with Saw Blades
- ▶ Fully Cannulated Handpiece
- ▶ Autoclavable
- ▶ Includes 2 Li-Ion Batteries with Charger and Transport Case

Technical specifications

- ▶ Infinitely variable speed: 0–1,200 rpm
- ▶ Oscillation mode: 0–16,000 ocs/min
- ▶ Battery type: Li-Ion
- ▶ Battery charging time: 180 min
- ▶ Weight (includes Battery): 933 g

195000



DRAGONFLY CORDLESS DRILL

ORDER
ONLINE

www.eickemeyer.com

The powerful and intuitively operated motor system for small animal osteosynthesis

The DRAGONFLY is a modular cordless drill system with 4 attachments for screwing, milling, drilling and cutting as required. Thanks to the quick coupling, the attachments can be changed intraoperatively. The handpiece itself impresses with its narrow handle design and an intuitive one-handed mechanism.

The AO attachment is cannulated, same as is the keyless chuck for KIRSCHNER drilled wires / STEINMANN nails and the Jacobs drill chuck. Both are equipped with an adjustable clamping range of up to 4.0 mm. These 3 attachments can be operated stepless in left / right rotation and also in oscillation mode at speeds from 0 – 1,350 rpm.

The DRAGONFLY is completed by attachment no. 4: the oscillating saw. It is equipped with a power of 0 – 14,000 osc/min and allows the saw blade to be used in 4 different positions. Handpiece and attachments can be autoclaved. The core, however, is the removable, non-autoclavable drive unit: This includes the control unit, the battery, the electronics and the motor control electronics and, together with the Li-Ion technology, guarantees a long service life and service life. Thus, the DRAGONFLY offers you a performance that you previously only knew from compressed air or cable-electric systems. All components are designed and manufactured in Germany.

Technical specifications

- ▶ Infinitely variable speed: 0 – 1,350 rpm
- ▶ Oscillation cutting mode: 0 – 14,000 osc/min
- ▶ Battery type: Li-Ion
- ▶ Scope of delivery: DRAGONFLY handpiece incl. 4 attachments (AO attachment, keyless chuck for KIRSCHNER bone wires / STEINMANN nails, Jacobs drill chuck, oscillating saw), 4 saw blades with STRYKER attachment, drive unit, sterile funnel, charger and carrying case

199500




ICARE® TONOVET PLUS TONOMETER

The Icare® TONOVET Plus is easy to use. It features an advanced user interface with a clear, large display. Red/green positioning lights help to find the correct angle and aim at the middle of the cornea. The automatic measuring sequence lets you choose between taking single readings or taking all 6 measurements with one press of the button.

- ▶ Quick, painless and accurate procedure
- ▶ Easy to use and requires no calibration
- ▶ Assisting positioning lights
- ▶ Large and easy to read colour display
- ▶ Dimensions (in mm): L 215 x W 24–29 x D 35–95
- ▶ Weight: 230 g (incl. batteries)
- ▶ Includes: Transport Case, 100 Probes, 4x AA batteries


1736007

 QR code for the application video of the TONOVET Plus

Stand for TONOVET and TONOVET Plus

- ▶ Table and wall mountable

1736008



Application



ICARE® TONOVET TONOMETER

The TONOVET is based on a rebound measuring principle, in which a light probe is used to make momentary, gentle contact with the cornea. The device is easy to use and the measurement is barely noticed by the animal and often does not even cause corneal reflex.

Eye pressure should be measured from:

- ▶ Young patients to establish baseline readings
- ▶ Patients older than 6 to 7 years
- ▶ Patients predisposed to glaucoma (42 canine breeds)
- ▶ Ocular examination patients
- ▶ Head or eye trauma patients
- ▶ The treatment of the patient is well tolerated with the absence of local anesthesia
- ▶ Quick, painless and accurate procedure
- ▶ Self-calibrating
- ▶ Portable as it is powered by batteries

Technical specifications

- ▶ Display range: 0–99 mmHg
- ▶ Power: 4x AA batteries included
- ▶ Dimensions (in cm): L 3.2 x W 24 x H 8
- ▶ Weight: 250 g (including batteries)
- ▶ Includes 100 TONOVET probes

1736005



Application

Stand for TONOVET and TONOVET Plus

- ▶ Table and wall mountable

1736008



KOWA SL-19 PORTABLE SLIT LAMP

ORDER
ONLINE

www.eickemeyer.com

Now more ergonomic and even lighter!

With its rounded shape and curved handle design, the new KOWA SL-19 Slit Lamp is even more ergonomic. Furthermore, the weight of the hand-held unit has been significantly reduced.

- ▶ New LED backlight that can be used simultaneously with the slit light
- ▶ New LED blue light illumination for fluorescence observation
- ▶ Light intensity can be adjusted with one hand
- ▶ Infinitely adjustable slit length (1.5 – 12 mm)
- ▶ Longer operating time: up to 6 hours at maximum intensity
- ▶ Available in 5 colors: white, black, blue, green and pink

Technical specifications

- ▶ Magnification: 10x and 16x
- ▶ Working distance: about 80 mm at 16x magnification, about 100 mm at 10x magnification
- ▶ Effective field of view: Ø 10 mm at 16x magnification, Ø 15 mm at 10x magnification
- ▶ Slit width: Ø 0.1, Ø 0.2, Ø 0.8 mm
- ▶ Spot size: Ø 1, Ø 5, Ø 12 mm (slit length continuously adjustable from 1.5 – 12 mm)
- ▶ Light intensity: 200 – 20,000 lux (continuously adjustable)
- ▶ Power supply: 3x AA batteries (DC 4.8 – 6.4 V)
- ▶ Dimensions (in mm): W 197 x D 107 x H 238
- ▶ Weight (without batteries): only 620 g

173690



RETEVET™ PORTABLE ERG

The RETevet™ portable ERG offers an intuitive interface that allows veterinary ophthalmologists to perform electroretinograms (ERGs) to measure the retinal function of animals.

- ▶ Small, portable and battery powered
- ▶ Intuitive user interface
- ▶ Real-time results
- ▶ All flashes electronically controlled
- ▶ Easy USB connection to any PC
- ▶ Comprehensive reports in PDF formats
- ▶ Anaesthesia is optional (based on the patient)

Technical specifications

- ▶ RGB LED technology
- ▶ Dimensions (in cm): W 10.5 x H 15.5
- ▶ Weight: 240 g
- ▶ Includes: RETevet™ Device, Docking Station, 6 Jet Electrodes, 10 Needle Electrodes, Dust Cover, 3-Plug Electrode Lead, USB Cable, Power Adapter.

173610



ALGERBRUSH II

The AlgerBrush II is a battery powered, handheld, low torque motorised burr. It has been designed to remove foreign bodies from the cornea or sclera of patients.

The burr in this rotary instrument is used as a “brush” rather than a drill and the foreign bodies are thus “brushed” from the eye leaving a smooth surface, which in turn heals much faster than with other instruments that could be used for this purpose.

According to the paper “Veterinary Ophthalmology” ([2013] 16, 2, [83–88]), it has been successfully used to treat spontaneous corneal epithelial defects (SCCEDs) in dogs in combination with a bandage contact lens.

Includes

- ▶ 3.5 mm round, medium grit diamond burr
- ▶ Chuck

170010

AlgerBrush II Corneal Burr

- ▶ Ø 3.5 mm
- ▶ Chuck attachment included

170011

AlgerBrush II Corneal Burr

- ▶ Ø 2.5 mm

170013

AlgerBrush II Corneal Burr


- ▶ Ø 1 mm
- ▶ Pack of 5 pieces

170012

AlgerBrush II Diamond Grinding Wheel (4 mm)

- ▶ Fine

170014



170010

BAUSCH & LOMB PUREVISION® 2 BANDAGE CONTACT LENSES

Contact bandage lenses act as a protective shield on the cornea. They permit corneal repair and improve patient comfort by preventing contact between damaged cornea and eyelids.

- ▶ High definition optics offers a clear and sharp view
- ▶ Excellent stabilisation
- ▶ Comfortable contact lens wear for up to 30 days and nights
- ▶ Ensures an optimal supply of oxygen to the cornea and makes eyes look clear
- ▶ Packaging: 6 lenses per box

173540



HEINE OMEGA 600 INDIRECT OPHTHALMOSCOPE

ORDER
ONLINE

www.eickemeyer.com

Discover more. With less weight.

Lighter. Brighter. Better. HEINE kept the best and perfected the rest. Highly comfortable, the HEINE OMEGA 600 delivers a new class of technological innovation, along with the new and unique visionBOOST for significantly better diagnostic even in dense cataracts.

- ▶ Most precise diagnostic, up to the far retinal periphery
- ▶ Up to 20 % better view in media opacities with visionBOOST
- ▶ Lightest High-End Indirect Ophthalmoscope worldwide
- ▶ Long-lasting investment due to its robust design
- ▶ Easy disinfection thanks to smoothSURFACE

Most precise diagnostic, up to the far retinal periphery

- ▶ Significantly better diagnostic due to unique visionBOOST
- ▶ Sharpest fundus image due to superior glass optics
- ▶ Brightest fundus image with true colour rendering thanks to our unique LEDHQ – now in even more natural colours
- ▶ Best 3D imaging due to our unique Stereoscopic Adjustment
- ▶ Technology in dilated and undilated pupils

Includes

OMEGA 600 Indirect Ophthalmoscope (with battery and +2 D eyepiece), E4-USBC power supply with cable, eyepiece 0 D

173497

CB1 Charging Battery

17349702



173497

HEINE DIAGNOSTIC SET

Absolute precision is the basic requirement to ensure the creation of a high-quality product. At HEINE this principle applies to the entire production process.

Complete set, consisting of:

NT 300 Double Charger (302550)

- ▶ Automatic charging process and overcharge protection
- ▶ Includes two NT 3.5 V Battery Handles including batteries (2x 302535)
- ▶ With short-circuit protection and a continuous ceramic brightness control

BETA 200 Direct Ophthalmoscope (301135)

- ▶ A spherical optics eliminate reflexes and guarantee a full view is even with small pupils
- ▶ Handle not included

Slit Illumination Otoscope Head (300035)

- ▶ Homogeneous light and a swivel lens with 1.6x magnification
- ▶ Scratch-resistant swivel lens with 1.6x magnification
- ▶ Light 3.5 V halogen light, Fibre Optic illumination for bright and homogeneous light
- ▶ Wide Slot for ease of use when working with catheters, foreign body forceps etc.
- ▶ For mounting on HEINE BETA handles
- ▶ Replacement lamp can be ordered through item no. 300038

Otoscope Specula

- ▶ High quality chrome plated metal construction, which is easy to clean, disinfect and sterilise
- ▶ Metal Speculum, 4x 57 mm (300357)
- ▶ Metal Speculum, 6x 65 mm (300365)
- ▶ Metal Speculum, 7x 90 mm (300390)

EXP302550



HEINE® LED LOUPELIGHT 2 WITH 2.5X BINOCULAR LOUPES

Brighter. Lighter. Improved functionality.

LED in HQ – the new standard in LED lighting delivers homogeneity and bright light with natural colour rendering for a precise diagnosis. The combination of light and magnification provides optimal results.

HEINE® LED LoupeLight 2

- ▶ Illumination: 55,000 lux
- ▶ Colour temperature: 4,000 Kelvin
- ▶ Adjustable viewing angle ensures a coaxial, shadow-free image
- ▶ Replaceable connecting cable, 1.6 m
- ▶ Including HEINE® mPack mini and USB plug-in power supply
- ▶ Operating time ~ 9 hours, at full power ~ 4 hours

310717

HEINE® HR binocular loupes with 2.5x magnification

- ▶ With i-View loupe mount on S-FRAME
- ▶ Including protective glasses, 2 sterilisable swivel levers, retaining strap, cleaning fluid, cleaning cloth and case
- ▶ Working distance: 340 mm
- ▶ Field of view: 90 mm
- ▶ Depth of view: 110 mm
- ▶ Working distance: 420 mm
- ▶ Field of view: 130 mm
- ▶ Depth of view: 180 mm

310700

310707



HEINE ML4 LED HEADLIGHT WITH MPACK UNPLUGGED & HEINE HR LOUPES

Perfect fit. Perfect view. Even with long operations.

The HEINE ML4 LED HeadLight is specially designed for healthcare professionals who need a perfect view during long surgical operations or treatments. Various individual adjustment options of the headband and the comfortable leather finish guarantee the highest level of comfort and a secure fit.

HEINE® ML4 LED HeadLight with mPack UNPLUGGED

- ▶ Lightweight, high-performance battery integrated on the back of the headband
- ▶ Offers 100% freedom of movement
- ▶ Incl. Plug-in Transformer UNPLUGGED

311138

HEINE® HR Loupes

- ▶ With i-View loupe holder
- ▶ Including protective glasses, 2 sterilisable swivel levers, retaining strap, cleaning fluid, cleaning cloth and case
- ▶ 3.5x magnification
- ▶ 420 mm working distance
- ▶ 4x magnification
- ▶ 340 mm working distance

311123

311122




LED DIAGNOSTIC LIGHT

**ORDER
ONLINE**
www.eickemeyer.com

This high quality diagnostic light brings light into the dark for a wide range of applications – whether used with or without the spatula.

- ▶ Ideal for intubating small animals
- ▶ Convenient for examining eyes, ears, nose and throat
- ▶ Helpful for dental treatments, especially on rodents
- ▶ White LED with a lifespan of more than 100,000 hours
- ▶ Incl. 1 angled spatula and 2 AAA batteries

214200



EICKVIEW COMPACT ENDOSCOPE SET

The specially developed EickView Compact Endoscope provides the perfect solution for rhinoscopy, tracheoscopy and vaginoscopy in small animals due to its small diameter (3.8 mm) and integrated working channel.

- ▶ Highly mobile
- ▶ Homogeneous and minimally invasive distal end
- ▶ Integrated working channel Ø 1.3 mm
- ▶ Outer diameter Ø 3.8 mm
- ▶ Working length 14 cm
- ▶ Viewing angle: 30°
- ▶ Opening angle 90° (wide-angle)
- ▶ Foreign body forceps Ø 1 mm, L 25 cm
- ▶ Attachable LED Light source
- ▶ Long battery life and spare battery with an operating time of 4 hours each
- ▶ 3 Adjustable light levels
- ▶ Stopcocks: two integrated stopcocks allow steady insufflation and irrigation
- ▶ Connection: STORZ, WOLF or ACMI connectors
- ▶ Eyepiece: DIN ocular allows the connection of all standard C-mount cameras
- ▶ Set includes: EickView Compact Endoscope incl. fitted otoscopy protection aid, portable LED light source incl. charger, foreign body forceps, spare battery, 2 cleaning brushes, padded carrying case

306122

Endoscopy Biopsy Forceps

- ▶ For taking biopsies
- ▶ Length: 250 mm
- ▶ Ø 1.0 mm

30611804



**incl.
Otoscopy
Kit**

306122

EICKVIEW PORTABLE LED VIDEO ENDOSCOPES

Due to their extremely compact dimensions, the EickView LED Video Endoscopes are the perfect solution for broncho-, gastro-, rhino-, tracheo-, uretero- and vaginoscopy in dogs and cats and for the examination of the upper respiratory tract in horses. The devices work independently, as the powerful LED light source and the high resolution camera of the stand-alone systems are integrated in the distal end of the endoscopes. In addition, the folding 3.5" monitor allows both direct video and image playback as well as storage via SD card. Furthermore the EickView LED Video Endoscopes can be connected to a separate monitor.

- ▶ Folding 3.5" monitor for video and picture playback
- ▶ Recording and archiving on integrated SD card
- ▶ File formats: JPG, AVI
- ▶ Integrated powerful LED light source
- ▶ Rechargeable Battery with up to 3 hours of operation
- ▶ USB port and video out
- ▶ Depth of field: 5 – 60 mm
- ▶ Direction of view: 0°
- ▶ Field of view: 110°

EickView LED Video Endoscopes					
Item No.	Description	Working length	Outer Ø	Working channel	Deflection
306009	EickView 60S	60 cm	3.3 mm	1.2 mm	up 180° down 130°
306011	EickView 60	60 cm	4.2 mm	1.3 mm	up 180° down 130°
306010	EickView 70	70 cm	6.0 mm	2.0 mm	up 180° down 130°
306166	EickView 100E	100 cm	8.0 mm	2.8 mm	up 150° down 130°
306164	EickView 150E	150 cm	8.0 mm	2.8 mm	up 130° down 130°

Accessories			
Item No.	Description	Diameter	Length
306211	Alligator Forceps, EickView 60/60S	1.0 mm	120 cm
306311	Biopsy Forceps, EickView 60/60S	1.0 mm	120 cm
306214	Alligator Forceps, EickView 70	1.8 mm	120 cm
306314	Biopsy Forceps, EickView 70	1.8 mm	120 cm
306216	Alligator Forceps, EickView 100E/150E	2.4 mm	230 cm
306316	Biopsy Forceps, EickView 150E	2.4 mm	230 cm



306009



306214



306314

EICKVIEW HD LED USB VIDEO ENDOSCOPES

**ORDER
ONLINE**

www.eickemeyer.com

You can now combine the new EickView HD Video Endoscope System according to your wishes and requirements.

EickView HD Video Processor

The EickView HD Video Processor is the central hub of your video endoscope system. The powerful LED light source enables optimal illumination in any position. Various settings on the video processor allow you to adapt the image quality to your needs. The new HbE mode enables an improved display of vessels. Still images can easily be saved directly to a USB storage medium. The image data can be transferred to an existing PC or Laptop.

306167

EickView HD Video Endoscopes

Due to further improved video chips, the EickView HD Video Endoscopes deliver even more brilliant images. The main areas of application are bronchoscopy and gastroscopy. Due to the large number of available scope sizes, they are suitable for all applications in small animals and equine.


Technical specifications

- ▶ Viewing direction: 0°
- ▶ Distal end contains 1 CMOS camera chip, 2 light guides, working channel
- ▶ Scope of delivery: EickView video endoscope, pressure tester, 2 cleaning brushes, cleaning set, carrying case

EickView PRO HD Upgrade

The EickView PRO HD Upgrade turns the HD Video Processor into a stand-alone and mobile endoscopy unit. Furthermore it opens access to other endoscopic disciplines such as arthroscopy, rhinoscopy, otoscopy, etc. The foldable and rotatable Full HD touchscreen Tablet provides greater functionality because the tablet can not only be used to view images and videos but also for recording, storage and editing. Keyboard is available as an option.

30616701



EickView HD Video Endoscopes							
Item No.	Description	Working length	Outer Ø	Working channel	Depth of field	Field of view	Deflection
306177	EickView 60 HD Endoscope	60 cm	3.5 mm	1.2 mm	3–50 mm	120°	up 160° down 130° left/right 0°
306178	EickView 100 HD Endoscope	100 cm	6.0 mm	2.0 mm	3–50 mm	120°	up 210° down 90° left/right 100°
306168	EickView 150 HD Endoscope	150 cm	8.5 mm	2.0 mm	5–100 mm	≥ 140°	up 210° down 90° left/right 100°
306169	EickView 150L HD Endoscope	150 cm	9.2 mm	2.8 mm	5–100 mm	≥ 140°	up 210° down 90° left/right 100°
306170	EickView 300 HD Endoscope	300 cm	13.0 mm	3.2 mm	5–100 mm	≥ 140°	up 210° down 90° left/right 100°

ENBIO S B-CLASS AUTOCLAVE

Simple – reliable – fast

The Enbio S is the fastest B-class autoclave on the market. Thanks to its compact size, it fits into every practice and the sterilisation chamber offers enough space for a standard surgical kit. The Enbio S is set up in no time and it is simple and intuitive to use – switch it on, select the mode, sterilise – done!

- ▶ Extremely short program times of only 7 to 15 minutes
- ▶ Revolutionary low operating costs thanks to Magic Filter
- ▶ Very quiet operating noise of only 32 dBA
- ▶ Automatic documentation on USB stick
- ▶ Highest quality at a low price
- ▶ External dimensions (in mm): W 252 x H 162 x D 561
- ▶ Weight: 15 kg

500000



STERIHERO VET MELAG B CLASS AUTOCLAVE

Your new superpower in veterinary medicine.

No matter what big tasks the day throws at you, SteriHero Vet has your back – from the functions to the price! Powerful technologies, an intuitive smart touch display and the unique MELAG quality – made in Germany – give you the superpower to change everything!

- ▶ B Class autoclave for the safest sterilisation
- ▶ High loading capacities and short cycle times from 16 minutes
- ▶ Intuitive operating concept with large smart touch display
- ▶ Easy to fill, integrated water tank
- ▶ Holder for holding 5 trays (3 included)
- ▶ Chamber volume: 23 l, D 45 cm, Ø 25 cm
- ▶ Outside dimensions (in cm): W 47 x H 50 x D 64
- ▶ Weight: 49 kg

500050



EICKSONIC ULTRASONIC CLEANERS

ORDER
ONLINE

www.eickemeyer.com

Universal ultrasonic cleaners with stainless steel tubs and stainless steel housing – for easy and safe instrument cleaning and excellent cleaning results.

- ▶ Timer: 0–30 min
- ▶ Heating: 20–80 °C
- ▶ Stainless steel basket protects cleaning material and vibrating tub
- ▶ Stainless steel lid reduces noise
- ▶ Operating frequency: approx. 40 kHz
- ▶ Mains voltage: 50 / 60 Hz
- ▶ Mains connection: 220–240 V
- ▶ Incl. stainless steel lid and screen basket

EickSonic 3.2

- ▶ Tub capacity: 3.2 liters
- ▶ Working capacity: 2.8 liters
- ▶ Ultrasonic power: 120 watts
- ▶ Heating capacity: 150 watts
- ▶ Without drain tap
- ▶ Dimensions:
Device – outside (in cm): L 26.5 x W 16.5 x H 22.5
Tub – inside (in cm): L 24 x W 13.5 x H 10

561032

EickSonic 6.5

- ▶ Tub capacity: 6.5 liters
- ▶ Working capacity: 5.8 liters
- ▶ Ultrasonic power: 180 watts
- ▶ Heating capacity: 300 watts
- ▶ With drain tap
- ▶ Dimensions:
Device – outside (in cm): L 32.5 x W 17.5 x H 27
Tub – inside (in cm): L 30 x W 15 x H 15

561065



561065

BLOOD PRESSURE MEASUREMENT FOR DOGS AND CATS

Reliable and accurate non-invasive blood pressure monitor for small animals.

EICKEMEYER® Doppler

- ▶ Compact, hand-held design
- ▶ High sensibility for a clear signal
- ▶ Adjustable sound volume and headphone connection
- ▶ Focused 8 MHz Probe with wide beam for better flow detection in the artery
- ▶ Probe adapted for positioning on the animals tail or paw
- ▶ Rechargeable battery powered, operating time: ±6 hours
- ▶ Dimensions (in mm): L 175 x W 80 x H 25 mm
- ▶ Lightweight (300 g)

217210



EICKEMEYER® MICROSCOPE

- ▶ A basic microscope with good optical quality at an affordable price
- ▶ Binocular head Siedentopf type, 30°
- ▶ Widefield eyepieces WF10x/18 mm
- ▶ Achromatic objectives 4x/0.1, 10x/0.25, 40x/0.65, 100x/1.25 oil
- ▶ Köhlersche illumination system, 12V /20 W halogen lamp
- ▶ Blue filter
- ▶ Abbe condenser 1.25 N.A.
- ▶ Mechanical stage 190 x 140 mm

710061



GUTTER SPLINTS

- ▶ For temporary immobilisation of fractures
- ▶ Strong and lightweight plastic, green
- ▶ Comfortable, non-irritating foam padding
- ▶ Anatomically shaped, fully radiolucent
- ▶ Scoop end to be placed at toes

Width: 3 cm, Length: 20 cm

951720

Width: 4 cm, Length: 30 cm

951730

Width: 5 cm, Length: 40 cm

951740



951740

INFUSION STAND

- ▶ Height adjustable from 110 – 200 cm
- ▶ Stable plastic cross with 4 hooks
- ▶ Chrome finish
- ▶ Holder with dropper glass (plastic)
- ▶ 5 star castor base
- ▶ 2 brake castors

573106



**ORDER
ONLINE**

www.eickemeyer.com

SURGICAL DRAPES PVC

- ▶ Made of soft, tear-resistant PVC
- ▶ Excellent adhesive properties with spray adhesive
- ▶ Individually packaged – sterile
- ▶ Pack of 25 pieces

30 x 45 cm

920145

120 x 120 cm

921212

60 x 90 cm

920190

120 x 180 cm

921218

90 x 120 cm

920212

120 x 250 cm

921225



920145

VETMEDCARE DOG BODY BASIC

The high-quality animal bodies from VetMedCare® are now available at EICKEMEYER®. They are used after operations and protect the wound from dirt, licking and scratching.

- ▶ Skin-friendly and easy-care material (90 % polyamide, 10 % elastane)
- ▶ Protects the skin against allergies and irritations
- ▶ Comfortable and hygienic as washable up to 60 °C
- ▶ Easy urination (extra opening for males) and defecation
- ▶ Developed in collaboration with veterinary surgeons
- ▶ Special flat and stretchy seams prevent pressure points
- ▶ Completely smooth abdominal area
- ▶ Breathable and extremely quick drying
- ▶ Patient comfort due to the enormous elasticity and ergonomic adjustment




VMC10018

VetMedCare Dog Body		
Item No.	Description	Size
VMC10008	Dog Body	XXXS unisex
VMC10009	Dog Body	XXS unisex
VMC10011	Dog Body	XS bitch
VMC10021	Dog Body	XS male
VMC10017	Dog Body	XS plus bitch
VMC10027	Dog Body	XS plus male
VMC10012	Dog Body	S bitch
VMC10022	Dog Body	S male
VMC10018	Dog Body	S plus bitch
VMC10028	Dog Body	S plus male
VMC10013	Dog Body	M bitch
VMC10023	Dog Body	M male
VMC10014	Dog Body	L bitch
VMC10024	Dog Body	L male
VMC10015	Dog Body	XL bitch
VMC10025	Dog Body	XL male
VMC10016	Dog Body	XXL bitch
VMC10026	Dog Body	XXL male

VETMEDCARE SIZE CHART BODY

- ▶ The body should be worn very tightly, this is particularly important for bitches so that the body does not get dirty when urinating
- ▶ Breed information is to be considered as a guide; If you are hesitating between two sizes due to the length, it is advisable to choose the larger size for corpulent animals, and the smaller size can be used for slim animals



Size Chart Body		
Size	Breed (example)	Length (in cm)
XXXS	Baby Kitten, Guinea Pig, Rat	24 – 26
XXS	Small Cat, Shih Tzu	27 – 31
XS	Chihuahua, Lhasa Apso, Small Yorkshire Terrier	32 – 38
XS plus	Yorkshire Terrier, Lhasa Apso, Papillon, Longhair Chihuahua	39 – 44
S	Maltese, Cavalier King Charles, Miniature Dachshund	45 – 50
S plus	French Bulldog, Pug, Jack Russel, Dachshund, Japanese Spitz	51 – 54
M	Schnauzer, Shorthair Border Collie, Cocker Spaniel	55 – 62
L	American Bulldog, Golden Retriever, Labrador, Doberman	63 – 74
XL	German Shepherd, Rottweiler, Bernese Mountain Dog	75 – 79
XXL	Saint Bernard, Mastiff, Newfoundland, Great Dane	from 80

VETMEDCARE DOG BODY WITH LEGS

**ORDER
ONLINE**
www.eickemeyer.com

The dog body with legs has 4 extra long legs already sewn on, which can be individually adjusted in length due to the run-proof material.

- ▶ Optimal wound protection for leg injuries, e.g. after cruciate ligament surgery
- ▶ Also ideal after castration, as the legs provide a better closure
- ▶ Can also be used for paw injuries, the overly long legs can be turned inwards
- ▶ Tick protection without chemicals
- ▶ Comfortable wound protection (leak protection) without collar
- ▶ Comfortable and hygienic, as washable up to 60 °C



VMC12018



VetMedCare Dog Body with legs		
Item No.	Description	Size
VMC12008	Dog Body with legs	XXXS unisex
VMC12009	Dog Body with legs	XXS unisex
VMC12011	Dog Body with legs	XS bitch
VMC12021	Dog Body with legs	XS male
VMC12017	Dog Body with legs	XS plus bitch
VMC12027	Dog Body with legs	XS plus male
VMC12012	Dog Body with legs	S bitch
VMC12022	Dog Body with legs	S male
VMC12018	Dog Body with legs	S plus bitch
VMC12028	Dog Body with legs	S plus male
VMC12013	Dog Body with legs	M bitch
VMC12023	Dog Body with legs	M male
VMC12014	Dog Body with legs	L bitch
VMC12024	Dog Body with legs	L male
VMC12015	Dog Body with legs	XL bitch
VMC12025	Dog Body with legs	XL male
VMC12016	Dog Body with legs	XXL bitch
VMC12026	Dog Body with legs	XXL male

VETMEDCARE DOG BODY WITH LEGS AND ZIP – UNISEX

With zip for quick and easy dressing and undressing. Thanks to the run-proof material, the additional opening for the male dog can be easily cut with scissors and the leg length can be individually adjusted.

- ▶ With loop to fix the collar



VMC12053

VetMedCare Dog Body with legs an zip – unisex		
Item No.	Description	Size
VMC12048	Dog Body with legs an zip	XXXS
VMC12049	Dog Body with legs an zip	XXS
VMC12051	Dog Body with legs an zip	XS
VMC12057	Dog Body with legs an zip	XS plus
VMC12052	Dog Body with legs an zip	S
VMC12058	Dog Body with legs an zip	S plus
VMC12053	Dog Body with legs an zip	M
VMC12054	Dog Body with legs an zip	L
VMC12055	Dog Body with legs an zip	XL
VMC12056	Dog Body with legs an zip	XXL

VETMEDCARE CAT BODY – UNISEX

The ideal solution for all cats.

- ▶ Skin-friendly and easy-care material (90 % polyamide, 10 % elastane)
- ▶ Protects the skin against allergies and irritations
- ▶ Comfortable and hygienic as washable up to 60 °C
- ▶ Highly elastic material, is worn close-fitting and is therefore like a second skin
- ▶ Developed in collaboration with Veterinary surgeons
- ▶ Special flat and stretchy seams prevent unnecessary pressure points
- ▶ Completely smooth abdominal area
- ▶ Breathable and extremely quick drying
- ▶ Patient comfort due to the enormous elasticity and ergonomic adjustment
- ▶ With extra long neck
- ▶ With 4 short legs
- ▶ Dual label loops for collar attachment
- ▶ Comfortable fit, easy to put on and take off



VMC14012

VetMedCare Cat Body – unisex		
Item No.	Description	Size
VMC14011	Cat Body	XS
VMC14012	Cat Body	S
VMC14017	Cat Body	XS plus

VETMEDCARE SAFETY TUBE – UNISEX

The 1 m long, individually cut tubular fabric (run-proof material) is the ideal wound protection for small animals.

Simply cut the tube to the desired length and cut out the required openings – the body for your ferret, guinea pig, rabbit, hamster, koi, etc. is complete.

Attached to the dog or cat body, the safety tube can also be used as rod protection for use over the tail.

- ▶ Skin-friendly and easy-care material (90 % polyamide, 10 % elastane)
- ▶ Comfortable and hygienic, as washable up to 60° C

VetMedCare Safety Tubes – unisex		
Item No.	Description	Size
VMC21011	Safety Tube	S (3.5 cm)
VMC21012	Safety Tube	M (5 cm)
VMC21013	Safety Tube	L (8 cm)
VMC21014	Safety Tube	Conical (top 13.5 cm, bottom 4 cm)
VMC21010	Safety Tube	Set of 4, S + M + L + Conical



VMC21013

VETMEDCARE SAFETY PANTS – UNISEX

**ORDER
ONLINE**

www.eickemeyer.com

Suitable protection for a wide variety of ailments, as a stand alone product or in conjunction with the Cat and Dog Body range.

- ▶ Ideal for castration
- ▶ In cases of heat or incontinence, sanitary/incontinence pads can be inserted under the body
- ▶ With cord to attach to chest harness
- ▶ Skin-friendly and easy-care material (90 % polyamide, 10 % elastane)
- ▶ Comfortable and hygienic, washable up to 60 °C



VetMedCare Safety Pants – unisex		
Item No.	Description	Size
VMC13011	Safety Pants	XS / S
VMC13012	Safety Pants	S plus
VMC13013	Safety Pants	M / L
VMC13015	Safety Pants	XL / XXL

Size chart Safety Pants – unisex	
Size	Breed (example)
XS / S	Chihuahua, Papillon, Small Yorkshire Terrier, Lhasa Apso, Cavalier King Charles, Miniature Dachshund
S plus	French Bulldog, Pug, Maltese, Jack Russel, Japanese Spitz
M / L	Schnauzer, Border Collie, Cocker Spaniel, Labrador, Golden Retriever, American Bulldog
XL / XXL	Rottweiler, Bernese Mountain Dog, St. Bernard, Mastiff, Newfoundland



VMC13013

VETMEDCARE PRESS STUD

Press studs for attaching a safety tube (leg) to the dog or cat body.

- ▶ Color: Black

VetMedCare Press Studs		
Item No.	Description	Size
VMC41095	Press Studs, 5 pcs	21 mm
VMC41096	Press Studs, 6 pcs	11 mm



VMC41095

NOTES

09/2023 | Photo titel: © Eric Isselée - stock.adobe.com